*Journal of Pediatric Orthopaedics*
**17**:833–835 © 1997 Lippincott–Raven Publishers, Philadelphia

# Journal of Pediatric Orthopaedics

## Volume 17, 1997

| Issue | Text Pages |
|---|---|
| 1 (January/February) | 1–140 |
| 2 (March/April) | 141–280 |
| 3 (May/June) | 281–420 |
| 4 (July/August) | 421–560 |
| 5 (September/October) | 561–700 |
| 6 (November/December) | 701–844 |

## AUTHOR INDEX

Aalto, K, 50
AAOS, 829
Abel, MF, 392
Abril, JC, 63
Aebi, M, 743
Aiona, MD, 387
Al-Azzam, S, 397
Albani, W, 668
Albarracin, JP, 603
Alfaro, J, 54
Allen, BL Jr, 3, 255, 785
Alvarez, L, 63
Alvarez-Romera, A, 325
Angel, D, 437
Aparicio, G, 63
Archibeck, MJ, 298, 773
Arlet, V, 743
Arms, DM, 450
Aronson, J, 342
Asher, M, 13
Ashman, RB, 158
Asirvatham, R, 496
Ateş, E, 655

Bachrach, S, 541
Baker, KJ, 158
Balsano, M, 821
Banta, JV, 212
Barbet, J-P, 402
Bar-Or, O, 409
Barrios, C, 54
Bassett, CAL, 264
Bates, E, 78
Bauermeister, S, 315
Baumann, JU, 585
Beals, RK, 516
Beaty, JH, 695
Beauchamp, RD, 303
Belle, RM, 9
Bellemore, MC, 440
Berkquist, TH, 541
Birch, JG, 528, 663
Blasier, RD, 342
Blastorah, B, 397
Boero, S, 675
Bond, CD, 199
Bowen, JR, 128, 189
Bray, EW III, 3
Breed, A, 726
Breed, AL, 486
Bridwell, KH, 540
Broughton, NS, 695
Brown, KLB, 285, 360
Bruckner, JD, 814
Brunner, R, 585
Buckon, CE, 387
Buehler, K, 516
Burgos, J, 325

Cairns, R, 303
Callahan, BC, 96
Calvo, E, 63
Campbell, K, 152
Canale, ST, 212
Candiotto, S, 821
Carlioz, H, 520, 685
Carpenter, CT, 796
Carroll, K, 220
Carroll, KL, 773
Carroll, NC, 1
Casillas, M, 212
Castagno, P, 603
Catagni, M, 675
Chambers, HG, 563
Cherney, JJ, 486
Christianson, M, 424
Chung, W, 78
Clarke, DM, 777
Cole, PA, 67
Coleman, DA, 424
Coleman, S, 220
Coleman, SS, 165, 424
Concha, MC, 790
Conrad, EU III, 814
Conway, JJ, 230
Coran, DL, 762
Correa, H, 460
Court, C, 520
Cundy, PJ, 74

D'Astous, J, 315
Dabney, KW, 571, 592, 603
Daenen, B, 408
Dahl, M, 691
Damiano, DL, 392
Damsin, JP, 685
Davids, JR, 3
Davidson, RS, 708
Davis, RB III, 608
Davitt, JS, 773
de Pablos, J, 54
Delfico, AJ, 622
Delgado, MR, 663
DellaMaggiore, ED, 199
DeLuca, PA, 608
Denis, F, 89, 718, 734
DeWald, RL, 540
Dias, LS, 230
Dias, RC, 571, 603
Dolan, LA, 712
Donzelli, O, 675
Dorey, FJ, 170
Dormans, JP, 622, 708
Drummond, DS, 708
Dubousset, J, 402
Dunwoody, JM, 285

Easley, ME, 808
Eckerwall, G, 266, 659
Egund, N, 659
Ehrlich, MG, 67
Eilert, RE, 96, 561
Ellis, AM, 766
Emans, J, 444
Emans, JB, 100, 615, 762
Epps, CH Jr, 128
Ezrohi, VE, 490

Facchini, R, 675
Ferguson, RL, 3
Ferlic, RJ, 486
Ferrara, MA, 408
Fischer, SR, 41
Flynn, JM, 100
Fox, HJ, 750
Frediani, PV, 675

Gaddy, BC, 321
Ganel, A, 25
Ganey, T, 470, 668
Garfin, SR, 829
Gedalia, A, 460
Georgopoulos, G, 96
Ghanem, I, 685
Gillespie, R, 463
Girardi, H, 592
Girouard, L, 121
Glinski, LP, 726
Glorion, C, 115
Glutting, J, 189

Godette, GA, 16
Goldberg, B, 408
González-Herranz, P, 325
Goodarzi, M, 289
Grayhack, J, 691
Green, JA, 440
Green, NE, 648
Griffin, L, 409
Griffin, PP, 406
Grogan, DP, 25, 289
Grossfeld, S, 89
Gruccio, D, 708
Grudziak, J, 176
Guidera, KJ, 25, 470, 668
Guille, JT, 189
Günal, İ, 655

Haasbeek, JF, 29
Haga, N, 59
Haideri, N, 370, 377
Hall, JE, 100, 701, 762
Hara, T, 216
Harcke, HT, 189
Harding, MGB, 189
Harrison, MHM, 264
Heeg, M, 337
Heinrich, S, 460
Hennrikus, WL, 199
Hensinger, RN, 205, 411, 544
Hermansson, L-L, 769
Herring, JA, 129
Hesser, U, 311
Hevia, E, 325
Hey, LA, 626, 631
Hirano, T, 539
Hirsch, G, 311
Hobatho, MC, 158
Hochbergs, P, 659
Horton, VK, 726
Howlett, ATG, 814
Hresko, MT, 100
Hsu, K-Y, 433
Hsu, RW-W, 433
Huang, S-C, 181

Iisaka, H, 36
Iwaya, T, 59

Jacobson, WC, 712
Jakubec, DM, 303
Janarv, P-M, 311
Jaramillo, D, 615, 626, 631
Jarvis, JG, 505
Jenkinson, A, 478, 481
Jingushi, S, 216
Johnson, DC, 392
Johnson, L, 89
Johnston, CE II, 754, 790
Jones, ET, 360

Kaneda, K, 36
Karol, LA, 790
Kassab, S, 525
Kasser, JR, 615, 626, 631
Kassis, B, 115
Katz, DE, 377
Kaufman, K, 152
Kaufman, KR, 563
Kawam, M, 533
Kay, RM, 170
Kelly, IP, 478
Kennedy, A, 481
Kharrazi, FD, 762
Kim, HT, 143, 225, 240, 247, 637
Klasen, HJ, 337
Klaumann, M, 174, 592
Klemme, WR, 734
Kligman, M, 437
Kneisl, JS, 808
Koop, SE, 734
Kuhns, LR, 356
Kuo, L, 78

Lair-Milan, F, 402
Langlais, J, 115
LeBlanc, JG, 303
Leonard, A, 89
Letts, M, 121, 315, 397, 533
Letts, RM, 347, 505
Levine, A, 409
Lin, CJ, 152
Lincoln, TL, 528
Lipton, G, 592
Lipton, GE, 174, 571, 603
Litts, CS, 657
Loder, RT, 205, 356, 360
Lohmander, LS, 266
Lonstein, JE, 89, 718
Lonstein, JW, 734
Louie, K, 691
Lowden, CM, 467
Lutter, L, 409

Mackenzie, WG, 303, 332
Makarov, MR, 663
Mammano, S, 821
Mann, DC, 486
Manske, PR, 450
Marcelis, S, 408
Marchesi, D, 743
Marsden, FW, 440
Marttinen, E, 512
Matan, A, 165
McCormack, TJ, 13
McIntyre, W, 315
Menelaus, MB, 16
Miller, F, 174, 541, 571, 592, 603
Millis, MB, 626, 631
Mirkopulos, N, 781
Miyagi, N, 36
Mizel, M, 409
Moran, ME, 352
Morissy, RT, 128
Morrisey, RT, 410
Mosca, VS, 803
Moshang, T, 708
Mubarak, SJ, 225, 282
Murphy, KM, 293
Myracle, MR, 293

Nakamura, S, 59
Newton, PO, 754
Nietosvaara, Y, 50
Niki, H, 803
Noonan, KJ, 712
Norén, L, 769

O'Brien, T, 478
O'Brien, TM, 481
O'Byrne, JM, 481
Ogden, JA, 470, 668
Olney, B, 13
Oppenheim, WL, 41, 293
O'Sullivan, M, 16
Otsuka, NY, 100
Õunpuu, S, 608
Paton, RW, 202
Pauli, RM, 726
Peltonen, J, 512
Peppers, TA, 501
Peters, CL, 298
Peterson, MD, 648
Pfeffer, G, 409
Piatt, JH Jr, 387
Ponseti, IV, 542
Ponzio, R, 592
Pouliquen, JC, 115
Pressman, AE, 505
Price, BD, 18
Price, CT, 18, 695, 703
Price, NJ, 74
Pugh, L, 668

Ramirez, N, 109
Raney, EM, 668
Rapariz, JM, 325
Reed, FR Jr, 703
Reichert, CC, 285
Reiger, M, 174
Reinker, KA, 796
Reiser, CA, 726
Richards, BS, 109
Riddick, MF, 703
Roach, JW, 158
Roberto, RF, 718
Rockwood, CA Jr, 695
Rodgers, WB, 615, 762
Roffman, M, 437
Romanus, B, 152
Rose, S, 608
Rumball, K, 315
Rumyantsev, NJ, 490

Sabharwal, S, 303
Sakaguchi, R, 59
Salusky, IB, 41
Samchukov, ML, 663
Samuelsson, L, 769
Schindler, A, 25
Schoenecker, PL, 321, 450
Schreiner, MS, 622
Schreuder, HWB, 814
Schwend, RM, 615
Scott, DS, 703
Scott, SM, 165, 298, 424
Shaw, A, 293
Shaw, BA, 293
Shea, KG, 424
Shetty, AK, 460
Shier, N-H, 289
Shih, H-N, 433
Shim, JS, 225
Shin, AY, 352
Shook, J, 501
Simesen, K, 659
Sinclair, J, 533
Sirkin, R, 608
Smith, BG, 626, 631
Smith, JT, 165, 773
Song, K, 370, 377
Song, KS, 470
Sorensen, LS, 814
Spatz, DK, 174
Sponseller, PM, 540
Sproul, JT, 703
Staheli, LT, 803
Stanitski, CL, 657
Stanitski, DF, 525, 657, 691
Stanton, RP, 174

Stephen, J, 78
Stephens, HM, 540
Stephens, M, 478
Stevens, PM, 9, 165, 220, 496, 773
Straka, P, 230
Strecker, WB, 321, 450
Stricker, U, 743
Su, J-Y, 433
Sucato, DJ, 463
Sugioka, Y, 216
Sutherland, DH, 152, 563
Swinford, AE, 356

Taniguchi, K, 59
Taylor, TKF, 766
Teanby, DN, 202
Telford, D, 370
Templeton, J, 622
Terry, CL, 648
Thomas, CH, 750
Thomas, SS, 387
Thompson, AG, 750
Tolo, VT, 421
Tredwell, SJ, 303, 332
Triana, M, 571
Tsao, AK, 230
Turner, Y, 176
Tursky, EA, 342

Vaara, P, 512
Vaccaro, AR, 829
Valadie, AL, 3
Van Heest, AE, 444

Wakim, A, 402
Walsh, SJ, 467
Wang, ED, 708
Wang, J-H, 181
Ward, KJ, 460
Ward, WT, 176
Warren, PD, 109
Waters, PM, 444
Watts, HG, 170, 455
Wedge, JH, 141
Weiner, BK, 781
Weiner, DS, 648, 781
Weinstein, SL, 128, 712
Wenger, DR, 143, 152, 225, 240, 247, 352, 637
Widhe, T, 20
Wilkins, K, 695
Willén, H, 659
Williams, GR, 109
Wilson, H, 370
Wilton, NCT, 282
Wingstrand, H, 266, 659
Winter, RB, 89, 718, 734
Wirganowicz, PZ, 455
Wood, VE, 501
Wright, JG, 29
Wyatt, MP, 563
Wyrick, P, 377

Yanagisako, Y, 59
Yang, J-P, 347
Yasuda, K, 36
Yeadon, A, 121
Yngve, D, 105
Younger, ASE, 332

Zaleske, DJ, 360
Zilberfarb, JL, 563

*Journal of Pediatric Orthopaedics*
**17**:836–843 © 1997 Lippincott–Raven Publishers, Philadelphia

# SUBJECT INDEX

Abdominal reflexes, 105
Abductor hallucis lengthening, for forefoot-adduction deformity, 496
Abstracts of current literature, 131, 272, 415
Acetabular index
  intraobserver and interobserver variation in, 174
  variability in assessment of, 170
Acetabular teardrop figure, predictive value of, 165
Acetabulum
  deficiency of
    location of in neuromuscular hip dysplasia, 143
    three-dimensional computer analysis of, 158
  dysplasia of
    acetabular index variability in, 174
    hip joint, 141
    morphology of, 637
    ultrasound screening for, 202
  long-term effects of intertrochanteric varus-derotation osteotomy on, 585
Achilles tendon lengthening, in treatment of clubfoot, 29
Achondroplasia, prevention of fixed, angular kyphosis in, 726
Adductor lengthening, for spastic hip subluxation, 571
Adolescence
  allogeneic cortical strut for benign lesions of humerus in, 433
  Charleston bending brace for scoliosis in, 703
  fractures of capitellum in, 315
  hallux valgus in, 781
  in situ arthrodesis for spondylolisthesis in, 754
  osteochondral lesions in radiocapitellar joint in, 311
Allogeneic cortical strut, for benign lesions of humerus, 433
Allograft, for benign lesions of humerus, 433
Ambulation, metabolic cost of with high-level paraparesis, 377
21-Aminosteroid pretreatment, in peripheral nerve low-load crush injury, 278
Amputation
  Chopart, 136
  for congenital pseudarthroses of tibia, 668
  in lawn-mower injuries, 360
  for neonatal gangrene of extremities, 397
Amyoplasia, clubfoot management in, 803
Anaphylaxis, intraoperative latex, 622
Anesthesia procedures, intraoperative latex anaphylaxis in, 622
Aneurysmal bone cysts, embolization of, 440
Ankle
  fractures of, detecting and treating, 278
  glomangioma of simulating flexor hallucis longus injury, 418
  soft tissue contractions of, 416
  valgus
    screw epiphysiodesis for, 9
    surgical management of in children, 3
Ankle-foot orthoses, for preambulatory children with spastic diplegia, 370
Ankylosis, completely stiff knee in, 67
Anterior spinal surgery, complications of, 89
Anteversion angle, intertrochanteric varus-derotation osteotomy and, 585
Arm
  focal fibrocartilaginous dysplasia in, 528
  peripheral nerve function monitoring during external fixation of, 663
Arterial repair, in supracondylar humerus fractures, 303
Arthritis, juvenile chronic, in urban children, 135
Arthrodesis
  increasing lordosis of occipitocervical junction after, 762
  in situ, analysis and treatment of poor outcomes following, 754
Arthrography, for severe proximal femoral focal deficiency, 520
Arthrogryposis multiplex congenita, clubfoot deformity in, 803
Arthroscopy
  for osteochondral lesions in radiocapitellar joint, 311
  for synovial hemangioma of knee, 74
Asymmetric physeal distraction, for Blount disease, 828
Athletes, with cervical spine injury, 278
Atlantoaxial instability
  in os odontoideum with myelopathy, 132
  severity of myelopathy in, 133
Atlanto-occipital instability, reproducibility of measurement of, 418
Avascular necrosis
  with development hip dislocation reduction, 631
  in Perthes' disease, 255
  in slipped capital femoral epiphysis, 648

Bandage materials, parent satisfaction with, 273
Battered child syndrome, humerus shaft fractures in, 289
Bladder exstrophy, fetal pelvis in, 402
Blood loss, hypotensive anesthesia to minimize, 750
Blount disease, 691
  asymmetric physeal distraction for, 54, 828
Bone
  deformation, patellofemoral, 512
  dysplasia of, prevention of fixed, angular kyphosis in, 726
  mineral density of, in geographically diverse adolescent populations, 415
  morphogenetic proteins, enhanced expression of, 277
  neoplasm, microvascularized free fibular grafts for, 424
  tumor of, *en bloc* resections of, 276
Bone cysts
  aneurysmal, 276
    embolization of, 440
  residual, after correction of severe foot deformities with Ilizarov technique, 25
  treatment in children with curettage and cryosurgery, 814
  unicameral, 814
Bone graft
  for aneurysmal bone cysts, 440
  for simple bone cysts, 814
  vascularized, 424
Bone scan, prognostic value of in Legg-Calvé-Perthes disease, 230
Bone scintigraphy, prognostic value of in Legg-Calvé-Perthes disease, 230
Bony physeal bridges, helical computed tomographic scan for, 356
Book reviews
  *Atlas of Pediatric Orthopedic Surgery*, 410
  *Cerebral Palsy: A Complete Guide for Caregivers*, 541
  *The Child and Adolescent Athlete*, 409
  *Complications in Pediatric Orthopedic Surgery*, 128
  *Congenital Clubfoot: Fundamentals of Treatment*, 542
  *Handbook of Pediatric Orthopedics*, 540
  *Imaging Atlas of Orthopedic Appliances and Prostheses*, 541
  *Legg-Calvé-Perthes Disease*, 129
  *Lovell and Winters' Pediatric Orthopedics*, 128
  *Orthopedic Knowledge Update: Foot and Ankle*, 409
  *Orthopedic Knowledge Update: Spine*, 829
  *Orthopedic Knowledge Update: Sports Medicine*, 409
  *Orthopedic Knowledge Update: Trauma*, 409
  *Pediatric Orthopedics on Orthopedic Grand Rounds*, 829
  *Peripheral Musculoskeletal Ultrasound Atlas*, 408
  *Selected Bibliography of Pediatric Orthopedics*, 695
  *Sports and Exercise for Children with Chronic Health Conditions*, 408
  *The Textbook: Fractures in Children*, 695
  *A Textbook of Pediatric Orthopedics*, 695
  *The Textbook of Spinal Surgery*, 540
Brace
  for eosinophilic granuloma of spine, 821
  nighttime, for idiopathic scoliosis, 703
  for scoliosis, respiratory function changes with, 275

Brachialis muscle entrapment, in displaced supracondylar humerus fractures, 298
Bunions, juvenile, 781
Bupivacaine, compartment syndrome associated with, 285

Calf, biomechanical comparison of spine, 132
Callus distraction, compared with tibial lengthening and epiphyseal distraction, 274
Cancer, reducing lifetime risk of from spinal radiographs, 134
Capitellum, fractures of in adolescents, 315
Capsulotomy, medial, for forefoot-adduction deformity, 496
Cartilage-viewing technique, in dysplastic hips, 152
Cast immobilization, for slipped capital femoral epiphysis, 648
Casting
  for eosinophilic granuloma of spine, 821
  factors affecting fracture position at removal of, 332
  parent satisfaction with bandage materials in, 273
Caton-Deschamps index, in Osgood-Schlatter disease, 63
Cavovarus foot, hindfoot flexibility in, 18
CD44, spatial distribution of in proximal tibia of growing rat, 273
Cerebral gigantism, scoliosis in, 135
Cerebral palsy
  dysplastic spastic hip in, 592
  early identification of, 276
  evolution of gait in, 392
  gait improvement in after selective dorsal rhizotomy, 387
  hip subluxation in, 561
  intraoperative latex anaphylaxis in, 622
  with Kienböck disease, 276
  long-term effects of intertrochanteric varus-derotation osteotomy on femur and acetabulum in, 585
  psoas release at pelvic brim in, 563
  rectus femoris transfer in, 603
  soft-tissue release for spastic hip subluxation in, 571
  spastic equinovarus foot in, 481
  three-dimensional gait analysis in surgical decision making in, 608
Cervical spine surgery, safety of unilateral vertebral artery ligation in, 134
Charleston bending brace, for scoliosis, 703
Child abuse, humerus shaft fractures and, 289
Chondrogenesis, with slipped capital femoral epiphysis, 216
Chopart amputation, lawn mower injury resulting in, 136
Clavicle, staphylococcal osteomyelitis of, 467
Cleft-foot closure, 501
Clinical decision making, gait analysis in, 608
Cloacal exstrophy, fetal pelvis in, 402
Closed intramedullary pinning, displaced radial neck fractures in, 325
Closed reduction
  for brachialis muscle entrapment in supracondylar humerus fracture, 298
  for developmental hip dislocation, predictive value for outcome of, 631
Clubfoot
  complete subtalar release in resistant, 490
  gait analysis and muscle strength in, 790
  long-term results of posterior and comprehensive release treatment of, 29
  management of in amyoplasia, 803
  onset of ossification of tarsal bones in, 36
  rating system for, 490
  what we learned about in last quarter century, 1
Cobb angle, prediction of scoliotic, 134
Compartment syndromes
  associated with bupivacaine and fentanyl epidural analgesia, 285
  postoperative epidural analgesia and, 282
Compression, congenital pseudarthrosis of tibia and, 668
Computed tomography
  for fetal pelvis in exstrophy complex, 402
  for foot pain, 777
  helical, for bony physeal bridges, 356
  postreduction, in developmental dislocation of hip, 626, 631
  for severe proximal femoral focal deficiency, 520
  three-dimensional
    of acetabular insufficiency, 158
    of dysplastic hips, 152
    in evaluation functional retroversion of femoral head, 240
    for morphology of residual acetabular deficiency in hip dysplasia, 637
    for neuromuscular hip dysplasia, 143
  for tibial torsion in slipped capital femoral epiphysis, 657
Confluent SAOS-2 cells, osteoinductive ability of, 277
Congenital deformities, foot, 20
Contiguous discitis, osteomyelitis and, 470
Continuous passive motion, for stiff knee, 67
Convex spinal epiphysiodesis, in progressive infantile idiopathic scoliosis management, 274
Cotrel-Dubousset instrumentation, with motor and somatosensory evoked potential monitoring, 417
Coxa vara
  functional, 240
    surgical correction of, 247
  genu valgum with, 225
  outcome of valgus osteotomies for, 220
Crankshaft
  after posterior spinal fusion for scoliosis, 718
  occipitocervical, 762
Cruciate ligaments
  anterior, tears in, 505
  reconstruction of, 505
Crush injury, 21-aminosteroid pretreatment in, 278
Cryosurgery, for simple bone cysts, 814
Curettage
  for aneurysmal bone cysts, 440
  for simple bone cysts, 814

Dall, George, obituary of, 270
Debridement surgery, for tuberculosis of spine, 275
Deformity
  congenital postural, 59
  foot
    equinovarus, 486
    Ilizarov techniques for, 796
  forearm, in osteochondromatosis, 451
  head-neck, analysis of effect on limb position, 240
  idiopathic forefoot-adduction, 496
  of knee in renal osteodystrophy, 41
  rotational with congenital hypoplasia of femur, 525
  spinal, 701
  tethered spinal cord release and, 773
Diagnosis
  of cavovarus foot, 18
  delayed in pediatric trauma, 136
  of posterior sternoclavicular joint dislocation, 136
Diastrophic dwarfism, 512
Diastrophic dysplasia, ultrasonography of, 512
1,25-Dihydroxyvitamin D, deficiency in serum with slipped capital femoral epiphysis, 216
Diplegia, in cerebral palsy, 392
Discitis, contiguous, 470
Dislocation
  congenital hip
    in extrauterine pregnancy, 274
    operative vs. nonoperative treatment of, 181
  hip, 143, 158
    management of with Pavlik harness and ultrasound monitoring, 189
    medial open reduction for, 176
    postreduction computed tomography in, 626, 631
    traumatic childhood, 278
    ultrasound evaluation of, 199
    ultrasound screening for, 202
  knee, reduced spontaneously or with minimal treatment, 59
  patellar, 516
    cartilaginous femoral sulcus in, 50
  posterior sternoclavicular joint, 136

sacroiliac, long-term outcome of, 337
shoulder, recurrent posterior, 533
Down syndrome
occipitoatlantal and occipitoaxial hypermobility in, 133
reproducibility of measurement of atlanto-occipital instability in, 418
Duchenne's muscular dystrophy
complications after posterior spinal fusion in, 109
in situ rigidity of sliding rod for, 276
modified Luque technique for, 743
spinal instrumentation for, 750
Dynamic equinus, 370
Dysgenesis, segmental spinal, 100

Ectromelia, 769
Editorials
clubfoot, 1
compartment syndromes and epidural analgesia, 282
controversial spinal deformity surgery issues, 701
hip joint acetabular dysplasia, 141
hip subluxation in cerebral palsy, 561
pediatric orthopedics and Mihran Tachdjian, 281
tumor management, 421
Ehlers-Danlos syndrome, neurologic and vascular surgical complications with, 417
Elbow fractures
in adolescents, 315
displaced, surgical treatment of, 321
Electrogoniometric angle, in adolescent idiopathic scoliosis, 133
Electromagnetic frequency, pulsed, in Perthes' disease treatment, 264
Electromyography, in rectus femoris transfer outcome, 603
Embolization, for aneurysmal bone cysts, 440
Endochondral ossification, in congenital clubfoot, 36
Eosinophilic granuloma, spinal, cast and brace treatment of, 821
Epidural analgesia
compartment syndrome associated with, 285
postoperative, 282
Epiphyseal distraction, compared with tibial lengthening and callus distraction, 274
Epiphyseal dysplasia
functional retroversion of femoral head in, 240
surgical correction of functional retroversion and coxa vara in, 247
Epiphysiodesis, for slipped capital femoral epiphysis, 648
Epiphysiolysis, for chronic physeal fractures in myelodysplasia, 615
Epiphysis, in stiff knees, 67
Equinovarus foot
partial wound closure in, 486
spastic, split tibialis posterior tendon transfer for, 481
Evoked potential monitoring, Cotrel-Dubousset instrumentation with, 417
Exostoses
benign, surgical risk for elective excision of, 455
multiple hereditary, 451, 455
Exstrophy complex, fetal pelvis in, 402
Extremities. *See also* Arm; Limb
lawn-mower injuries of, 360
neonatal gangrene of, 397
upper
focal fibrocartilaginous dysplasia in, 528
peripheral nerve function monitoring during external fixation of, 663
transverse dysmelia of, 769

Femoral epiphysis, slipped capital
HLA phenotype in, 655
with renal failure osteodystrophy, 205
tibial torsion in, 657
urgent manipulative reduction of, 648
Femoral focal deficiency, radiological study of, 520
Femoral head, functional retroversion of in Legg-Calvé-Perthes disease and epiphyseal dysplasia, 240
Femoral neck fracture, displaced after SCFE fixation, 212
Femoral sulcus
cartilaginous, in patellar dislocation, 50
for patellofemoral instability, 516
Femur
age trends in remodeling midshaft of, 274
congenital hypoplasia of, 525
distal epiphyseal, nonunion of fracture-separation of, 418
fractures, external fixation of, 342
graphic analysis of growth in Perthes' disease, 255
long-term effects of intertrochanteric varus-derotation osteotomy on, 585
Fentanyl, compartment syndrome associated with, 285
Ferguson's medial open reduction, for developmental dislocation of hip, 176
Fetus, exstrophy complex in, 402
Fever of unknown origin, diagnosis of childhood sarcoidosis with, 460
Fibroma, nonossifying, 808
Fibrous dysplasia, 135
Fibula
grafts of after tumor resection, 424
intact with isolated tibial fracture, 347
proximal third, fracture of, 136
Fixation
external
applications in pediatric foot, 796
for Blount disease treatment, 54
circular, for late-onset tibia vara, 691
for congenital pseudarthrosis of tibia, 675
of femur fractures, 342
peripheral nerve function monitoring during, 663
with four- versus eight-pin halo device, 121
internal, for slipped capital femoral epiphysis, 648
single-pin, displaced femoral neck fractures after, 212
Flexion contracture, in stiff knee, 67
Flexor hallucis longus injury, glomangioma of ankle simulating, 418
Focal fibrocartilaginous dysplasia, in upper extremity, 528
Foot
aneurysmal bone cyst and giant cell tumor of, 276
cavovarus, 18
central ray resections for, 785
cleft, 501
deformities of
at birth, 20
equinovarus, partial wound closure in, 486
residual bone cysts after correction of, 25
fractures of, detecting and treating, 278
Ilizarov technique applications in, 796
multiple tarsal coalitions in, 777
spastic equinovarus, 481
Foot sole, 20
Foot talipes equinovarus, Ilizarov technique for, 796
Force plate, for spastic diplegia, 370
Forearm
deformity of in multiple hereditary osteochondromatosis, 451
fracture of, factors affecting position of at cast removal, 332
lengthening, acute, 444
Forefoot varus, surgical release and, 496
Forefoot-adduction deformity, medial capsulotomy and abductor hallucis lengthening for, 496
Fractures
of capitellum in adolescents, 315
chronic physeal, 615
displaced olecranon, surgical treatment of, 321
femoral epiphyseal, nonunion of, 418
femur, external fixation of, 342
of fifth metatarsal, failed surgical management of, 277
foot and ankle, detecting and treating, 278
forearm, factors affecting position of at cast removal, 332
humerus shaft, due to accident or abuse, 289
intramalleolar triplane of distal tibial epiphysis, 352
irreducible, 298
isolated tibial, with intact fibula, 347
pathologic, 467

through nonossifying fibromas, 808
proximal third fibular, 136
radial neck, displaced, 325
with radiotherapy for soft tissue sarcoma, 135
supracondylar humerus, 127
brachialis muscle entrapment in, 298
managing pulseless pink hand in, 303
of thoracic or lumbar spine, 115
triplane, with proximal third fibular fracture, 136
Functional retroversion
in Legg-Calvé-Perthes disease and epiphyseal dysplasia, 240
surgical correction of, 247

Gait
evolution of in cerebral palsy, 392
improvement after selective dorsal rhizotomy, 387
patterns in healthy vs. scoliotic patients, 274
Gait analysis
for ambulatory patients with cerebral palsy, 563
in congenital deformities of foot, 20
rectus femoris transfer outcome and, 603
for spastic equinovarus foot, 481
in surgically treated clubfeet, 790
three-dimensional, 608
Gangrene, of extremities in neonate, 397
Genu valgum, with coxa vara resulting from hip disease, 225
Giant cell tumor, of foot, 276
Glenoid posterior bone block, for recurrent posterior shoulder dislocation, 533
Glenoplasty, for recurrent posterior shoulder dislocation, 533
Glomangioma, of ankle, 418
Granuloma, noncaseating, 460
Ground reaction forces, frequency domain analysis of, 274
Growth arrest, forearm, 444
Growth disturbance, diastrophic dysplasia and, 512
Growth hormone, scoliosis and, 708
Growth plate sparing technique, in soft-tissue sarcoma around knee, 437

Hallux valgus, Mitchell osteotomy for, 781
Halo fixation, four- versus eight-pin, 121
Hamstring, tightness of, 78
Hamstring index, 78
Head-neck deformity, analysis of effect on limb position, 240
Heel, plantar fibromatosis of, 16
Hemangioma, synovial, of knee, 74
Hemarthrosis, in synovial hemangioma of knee, 74
Hemivertebral excision, for congenital scoliosis, 96
Hemophilia, septic arthritis in, 134
Herbert screw, for capitellar fractures, 315
Hindfoot
flexibility of in cavovarus foot, 18
valgus, screw epiphysiodesis for, 9
Hip click, ultrasound evaluation of, 199
Hip joint fluid, increased levels of proteoglycan fragments and stromelysin in, 266
Hip-knee-ankle-foot orthoses, versus reciprocating-gate orthoses for high-level paraparesis, 377
Hips
centration, in cerebral palsy, 585
congenital dislocation of
in extrauterine pregnancy, 274
ultrasound screening for, 202
developmental dislocation of, 158
medial open reduction for, 176
postreduction computed tomography in, 626, 631
ultrasound evaluation of, 199
developmental dysplasia of, 152
acetabular index in, 170
acetabular index variability in, 174
operative vs. nonoperative treatment of in patients of walking age, 181
disease of, genu valgum with coxa vara resulting from, 225
dislocation of, 592
location of in neuromuscular hip dysplasia, 143
management of with Pavlik harness and ultrasound monitoring, 189
traumatic childhood, 278
dysplasia of
acetabular, 141
cartilaginous and bony components of, 152
development, predictive value of acetabular teardrop figure development in, 165
morphology of residual acetabular deficiency in, 637
in neuromuscular disease, 143
Pavlik harness treatment and ultrasound monitoring of, 189
dysplastic spastic, reconstruction of, 592
growth of in Perthes' disease, 255
malformation of, 520
painful, 592
ultrasonographic in management of, 132
reconstruction, three-dimensional, 158
subluxation of
in cerebral palsy, 561
soft-tissue release for, 571
Hirano, Toru, obituary of, 539
Histiocytosis X, eosinophilic granuloma of spine with, 821
Histology
for chronic physeal fractures in myelodysplasia, 615
metaphyseal, 659
HLA phenotype, in slipped capital femoral epiphysis, 655
Hole-in-one vertebra, 766
Humerus
benign lesions of, 433
focal fibrocartilaginous dysplasia in, 528
fractures of
brachialis muscle entrapment in, 298
supracondylar, managing pulseless pink hand in, 303
triceps-splitting approach to, 273
Humerus shaft fractures, due to accident or abuse, 289
Hyaluronan, spatial distribution of in proximal tibia of growing rat, 273
Hyperparathyroidism, in renal failure-associated slipped capital femoral epiphysis, 205
Hypotensive anesthesia, to minimize blood loss, 750

Ilizarov technique
applications of in pediatric foot, 796
for congenital pseudarthrosis of tibia, 668, 675, 685
for late-onset tibia vara, 691
residual bone cysts after, 25
soft tissue contractions of knee or ankle treated by, 416
Immobilization, for slipped capital femoral epiphysis, 648
Infants, parent satisfaction with bandage materials used for casting in, 273
Infection, spinal, 135
Intertrochanteric varus-derotation osteotomy, long-term effects of, 585
Intramalleolar triplane fractures, of distal tibial epiphysis, 352
Intraoperative monitoring, during external fixation of upper extremity, 663
Intravertebral spinal neurenteric cysts, 766
Isokinetic muscle strength, in surgically treated clubfeet, 790

Jones fracture, failed surgical management of, 277

Kienböck disease, with cerebral palsy, 276
Kinematic analysis, of toe-walkers, 478
Kinematics, in cerebral palsy, 392
Klisic, Predrag, obituary of, 125
Knee
angular deformity of, surgical correction of, 41
anterior cruciate ligament tear in, 505
completely stiff, management of, 67
congenital dislocation of, reduced spontaneously or with minimal treatment, 59

dislocation of, 516
soft tissue contractions of, 416
soft-tissue sarcoma around, 437
synovial hemangioma of, 74
Kyphosis
congenital, segmental spinal dysgenesis in, 100
controversial surgery issues of, 701
fixed, angular, prevention of, 726

Latex, intraoperative anaphylaxis with, 622
Lawn-mower injuries
of extremities, 360
resulting in Chopart amputation, 136
Legg-Calvé-Perthes disease
functional retroversion of femoral head in, 240
increased levels of proteoglycan fragments and stromelysin in, 266
metaphyseal histology and MRI in, 659
prognostic value of bone scintigraphy in, 230
surgical correction of functional retroversion and coxa vara in, 247
Leg-length inequality, with scoliosis and trunk asymmetry, 769
Letters to Editors, 126, 407, 697, 828
Lidloff's medial open reduction, for developmental dislocation of hip, 176
Ligaments, tears in, 505
Limb-length discrepancy, in congenital hypoplasia of femur, 525
Limbs
deficiency of, scoliosis and trunk asymmetry in, 769
lengthening of
for congenital pseudarthrosis of tibia, 675
of upper extremity, 663
Lordosis, of occipitocervical junction after arthrodesis, 762
Lumbar fracture, vertebral growth after, 115
Lumbosacral fixation, for Duchenne's neuromuscular scoliosis, 743
Luque instrumentation, for Duchenne muscular dystrophy, 276
Luque technique, modification of for Duchenne's neuromuscular scoliosis, 743
Lyme disease, identifying and managing, 134

Magnetic resonance imaging
for chronic physeal fractures in myelodysplasia, 615
for diagnosis of contiguous discitis and osteomyelitis, 470
for diagnosis of sarcoidosis, 460
in Legg-Calvé-Perthes disease, 659
for osteochondral lesions in radiocapitellar joint, 311
for severe proximal femoral focal deficiency, 520
for synovial hemangioma of knee, 74
Maisonneuve fracture, with triplane fracture, 136
Malunion, distal humeral, 273
Manipulative reduction, for slipped capital femoral epiphysis, 648
Medial malleolar growth, with ankle valgus, 9
Medial malleolar screw, for ankle valgus in children, 3
Medical complications, of anterior spinal surgery, 89
Meeting highlights, 411, 544
Meetings, 137, 279, 419, 558, 698
Megaprostheses, after distal femoral tumor resection, 277
Melatonin levels, in idiopathic scoliosis, 275
Metabolic change, with tourniquet use, 289
Metaizeau technique, displaced radial neck fractures with, 325
Metaphysis, histology of, 659
Metatarsal fractures, failed surgical management of, 277
Metatarsus adductus, 496
Metrecom Skeletal Analysis System, 133
Microvascularized free fibular grafts, after tumor resection, 424
Middle facet, in talocalcaneal coalition resection, 13
Milwaukee bracing, psychosocial development and, 712
Mitchell osteotomy, for adolescent hallux valgus, 781
Multiple tarsal coalitions, in same foot, 777
Muscle
spasticity of and gait in cerebral palsy, 392
strength of in surgically treated clubfeet, 790
Muscular dystrophy, Duchenne's
complications after posterior spinal fusion in, 109
in situ rigidity of sliding rod for, 276
modified Luque technique for, 743
spinal instrumentation for, 750
Myelodysplasia, chronic physeal fractures in, 615
Myelomeningocele
chronic physeal fractures and, 615
high-level paraparesis and, 377
Myelopathy
factors related to severity of in atlantoaxial instability, 133
os odontoideum with, 132

Neck pain, 417
Neck-shaft angle, intertrochanteric varus-derotation osteotomy and, 585
Neonate, gangrene of extremities in, 397
Nerve injury, during external fixation of upper extremity, 663
Neurenteric cysts, intravertebral, 766
Neurofibromatosis, congenital pseudarthrosis of tibia and, 668
Neurofibromatosis-1, congenital pseudarthrosis of tibia and, 675
Neuromuscular assessment, for spastic equinovarus foot, 481
Neuromuscular hip dysplasia, acetabular deficiency and associated hip dislocation in, 143
Night splinting, for clubfoot deformity, 803
Nonoperative treatment, for developmental hip dysplasia in patients of walking age, 181
Nonunion, of distal femoral epiphyseal fracture-separation, 418

Obesity, with late-onset tibia vara, 691
Obituary
of George Dall, 270
of Mihran Tachdjian, 406
of Predrag Klisic, 125
of Toru Hirano, 539
Occipitoatlantal hypermobility, in Down syndrome, 133
Occipitoaxial hypermobility, in Down syndrome, 133
Occipitocervical crankshaft phenomenon, 762
Occipitocervical instability, fusion for, 762
Occipitocervical junction, increasing lordosis of after arthrodesis, 762
Olecranon fractures, displaced, 321
Open reduction, medial, for developmental dislocation of hip, 176
Orthosis, for high-level paraparesis, 377
Os odontoideum with myelopathy, atlantoaxial instability in, 132
Osgood-Schlatter disease, radiologic study of patellar height in, 63
Ossification, of tarsal bones in congenital clubfoot, 36
Osteochondral lesions, in radiocapitellar joint in skeletally immature, 311
Osteochondrodysplasia, patellofemoral joint and, 512
Osteochondroma, surgical risk in excision of, 455
Osteochondromatosis
forearm lengthening and, 444
multiple hereditary, forearm deformity in, 451
Osteodystrophy
renal, slipped capital femoral epiphysis with, 205
surgical correction of angular knee deformity in, 41
Osteomyelitis
contiguous discitis and, 470
salmonella pelvic, 463
staphylococcal, 467
Osteosarcoma
amplified SAS gene in, 277
fibular grafts and, 424
Osteotomy
intertrochanteric varus-derotation, 585
Mitchell, 781
peri-iliac pelvic, in reconstruction of dysplastic spastic hip, 592
Outcome analysis, forearm fracture, 332
Oxygen cost, of ambulation with high-level paraparesis, 377

Pain
hip, 592
neck, 417
Paraparesis, high-level, orthoses for, 377

Paraplegia
segmental spinal dysgenesis and, 100
transitory, 417
Parathyroid hormone fragment, deficiency of with slipped capital femoral epiphysis, 216
Patella
aneurysmal bone cyst of, 276
dislocation of, cartilaginous femoral sulcus in, 50
height of in Osgood-Schlatter disease, 63
Patella alta, Osgood-Schlatter disease and, 63
Patellofemoral joint
instability of, 516
ultrasonography of, 512
Pavlik harness, for dislocated hip, 189
Pectoralis tendon avulsion, in skeletally immature, 136
Pelvic brim, psoas release at, 563
Pelvic obliquity, in Duchenne's neuromuscular scoliosis, 743
Pelvic osteotomy, in reconstruction of dysplastic spastic hip, 592
Pelvis
in fetal exstrophy complex, 402
fractures of, long-term outcome of, 337
salmonella osteomyelitis of, 463
Peri-ilial pelvic osteotomy, in reconstruction of dysplastic spastic hip, 592
Periosteum, syndecan-3 and tenascin-C in development of, 131
Peripheral nerves
low-load crush injury of, 21-aminosteroid pretreatment in, 278
monitoring function during external fixation of upper extremities, 663
Perthes' disease
graphic analysis of femoral growth in, 255
prognostic value of bone scintigraphy in, 230
pulsed electromagnetic frequency in treatment of, 264
Pes adductus, 20
Physeal distraction, asymmetric, in Blount disease treatment, 54
Physis
chronic fractures of in myelodysplasia, 615
mapping of, 356
plate injury of, vertebral growth after, 115
Salter-Harris type V injury to, 126, 127
Pin fixation, with four- versus eight-pin halo device, 121
Plantar fibromatosis, of children's heels, 16
Plantar-advancement skin flap, for central ray resections in foot, 785
Polydactyly, plantar-advancement skin flap for, 785
Polysyndactyly, plantar-advancement skin flap for, 785
Popliteal angle, in hamstring tightness, 78
Posterior ankle release, for clubfoot, 29
Posterior spinal fusion, complications after in Duchenne's muscular dystrophy, 109
Posteromedial release, for clubfoot deformity, 803
Postoperative complications, with epidural analgesia, 285
Pregnancy, extrauterine, congenital hip dislocation in, 274
Prevention
of fixed, angular kyphosis with achondroplasia, 726
of lawn-mower injuries, 360
Prophylaxis, for intraoperative latex anaphylaxis, 622
Proteoglycan fragments, increased levels in hip joint fluid in Legg-Calvé-Perthes disease, 266
Pseudarthrosis, congenital tibial
Ilizarov device for, 685
neurofibromatosis-1 and, 675
treatment of, 668
Psoas release, at pelvic brim in ambulatory patients with cerebral palsy, 563
Psychosocial development, with idiopathic scoliosis, 712
Pulsed electromagnetic fields, in Perthes' disease treatment, 264
Pulseless pink hand, in supracondylar humerus fractures, 303

Quadriceps-plasty, for stiff knee, 67

Radial neck fractures, displaced, 325
Radiocapitellar joint, osteochondral lesions in, 311
Radiography
for femoral growth in Perthes' disease, 255
for osteochondral lesions in radiocapitellar joint, 311
reducing lifetime cancer risk with, 134
supine bending and traction, 416
Radiology
for patellar height in Osgood-Schlatter disease, 63
for severe proximal femoral focal deficiency, 520
Radiotherapy, fractures with, 135
Ray resection, plantar-advancement skin flap for, 785
Reciprocating-gate orthoses, for high-level paraparesis, 377
Rectus femoris transfer, rectus EMG patterns in outcome of, 603
Reflexes, abdominal, 105
Remodeling, of forearm fracture, 332
Renal failure osteodystrophy, slipped capital femoral epiphysis with, 205
Renal osteodystrophy, surgical correction of angular knee deformity in, 41
Respiratory function, with adolescents wearing brace for scoliosis, 275
Reversible partial epiphysiodesis, for ankle valgus in children, 3
Rhizotomy, selective dorsal, gait improvement after, 387
Risk factors, for anterior spinal surgery complications, 89
Rotational deformity, in congenital femoral hypoplasia, 525

Sacroiliac
disruptions of, long-term outcome of, 337
fusion of, 337
Salmonella pelvic osteomyelitis, in normal children, 463
Salter-Harris type V injury, controversy over, 126, 127
Sarcoidosis, diagnosis of, 460
SAS gene, amplification of, 277
Scoliometer, in prediction of scoliotic Cobb angle, 134
Scoliosis
abdominal reflexes in, 105
after posterior spinal fusion, 109
in cerebral gigantism, 135
contiguous discitis and, 470
controversial surgery issues of, 701
Duchenne's neuromuscular, 743
gait patterns in, 274
hemivertebral excision for, 96
incidence in β-thalassemia, 133
juvenile idiopathic, curve patterns and prognosis of, 275
melatonin levels in, 275
neurologic and vascular surgical complications of, 417
nighttime bracing for, 703
in patients treated with growth hormone, 708
posterior spinal fusion for, 718
prediction of Cobb angle in, 134
progressive infantile idiopathic, convex spinal epiphysiodesis in managing, 274
psychosocial characteristics of patient with, 712
radiographic and electrogoniometric angles in, 133
reducing lifetime cancer risk with spinal radiographs in, 134
respiratory function with brace for, 275
selecting fusion area in, 416
spinal instrumentation without fusion for, 734
spinal orthoses for, 407
spinal shortening in surgery for, 417
in upper limb transverse dysmelia, 769
Screening, congenital hip dislocation, 202
Screw epiphysiodesis, for ankle valgus, 9
Segmental spinal
dysgenesis, early neurologic deterioration and treatment of, 100
instrumentation, for Duchenne's muscular dystrophy, 750
Septic arthritis, long term evaluation of, 134
Shoes, corrective, 416
Shoulder
multidirectional dislocation of, 533
recurrent posterior dislocation of, 533
swimmer's, 418
Sit-to-stand transitional movement, ankle-foot orthoses and, 370

Skeleton
dysplasia of and forearm lengthening, 444
immature, pectoralis tendon avulsion in, 136
reconstruction of defects after tumor resection, 424
Skin flap, plantar-advancement, 785
Slipped capital femoral epiphysis
deficiency of parathyroid hormone fragment and 1,25-dihydroxyvitamin D in serum with, 216
displaced femoral neck fractures after in situ fixation of, 212
HLA phenotype in, 655
with renal failure osteodystrophy, 205
tibial torsion in, 657
urgent manipulative reduction of, 648
Soft tissue
contractions of, knee or ankle, 416
sarcoma of
around knee, 437
fractures with radiotherapy for, 135
Soft-tissue hip click, ultrasound evaluation of, 199
Soft-tissue release, for spastic hip subluxation in cerebral palsy, 571
Sotos syndrome, case report on, 135
Spastic diplegia
ankle-foot orthoses for, 370
toe-walking and, 478
Spastic hip disease, soft-tissue release for, 571
Spasticity, hip subluxation in, 561
Spina bifida
chronic physeal fractures and, 615
intraoperative latex anaphylaxis in, 622
tethered spinal cord release and, 773
Spinal cord, surgical release of tethered, 773
Spinal fusion
occipitocervical, 762
posterior
complications after in Duchenne's muscular dystrophy, 109
curve progression in Risser stage 0 and 1 patients after, 718
Spinal instrumentation
for Duchenne's muscular dystrophy, 750
for progressive scoliosis, 734
Spinal surgery
complications of anterior, 89
safety of unilateral vertebral artery ligation in, 134
Spine
biomechanical comparison of human and calf, 132
cervical, athletes with injury of, 278
congenital disorders of, 100
deformity of, 701
eosinophilic granuloma of, 821
fractures of, vertebral growth after, 115
growth of, 734
infection of, 135
orthoses for scoliosis, 407
shortening of in scoliosis surgery, 417
thoracolumbar, *en bloc* resections of bone tumor of, 276
tuberculosis of, deformity after surgery for, 275
Split tibialis posterior tendon transfer, for spastic equinovarus foot, 481
Spondylolisthesis, in-situ arthrodesis for, 754
Spondylolysis, in adolescence, 754
Spontaneous reduction, congenital dislocation of knee, 59
Staphylococcal osteomyelitis, clavicular, 467
Sternoclavicular joint dislocation, posterior, diagnosis and treatment of, 136
Stiff-knee gait, rectus femoris transfer for, 603
Stiffness, after four- versus eight-pin halo fixation, 121
Straight-leg raise, with hamstring tightness, 78
Stromelysin, increased levels in hip joint fluid in Legg-Calvé-Perthes disease, 266
Subfascial rods, for progressive scoliosis, 734
Subluxation, hip joint, direction of, 143
Subtalar release
complete, in resistant clubfeet, 490
in treatment of clubfoot, 29
Supernumerary digits, plantar-advancement skin flap for, 785
Supracondylar humerus fractures
brachialis muscle entrapment in, 298
managing pulseless pink hand in, 303
treatment of, 127
Surgery
for angular deformity of knee in renal osteodystrophy, 41
for ankle valgus in children, 3
assessing expected outcomes of, 272
for cerebral palsy in ambulatory patients, 563
for developmental hip dysplasia in patients of walking age, 181
for displaced olecranon fractures, 321
for functional retroversion and coxa vara, 247
safety of unilateral vertebral artery ligation in, 134
for segmental spinal dysgenesis, 100
Surgical complications
after posterior spinal fusion in Duchenne's muscular dystrophy, 109
of anterior spinal surgery, 89
in excision of benign exostoses, 455
of scoliosis in patients with Ehlers-Danlos syndrome, 417
Surgical release, tethered spinal cord, 773
Survivorship analysis, of tethered spinal cord release, 773
Swimmer's shoulder, treatment of, 418
Swing phase, in spastic equinovarus foot, 481
Sympathetic blockade, preventing physiologic changes with tourniquet use, 289
Syndecan-3, expression of, 131
Synovial fluid, increased proteoglycan fragments and stromelysin in, 266
Synovial hemangioma, knee, 74
Synovitis, in Legg-Calvé-Perthes disease, 266
Syringomyelia, abdominal reflexes in, 105

Tachdjian, Mihran
obituary for, 406
in pediatric orthopedics, 281
Talocalcaneal coalition resection, 10-year follow-up on, 13
Tarsal bones, onset of ossification of in congenital clubfoot, 36
Tarsal coalition, 10-year follow-up on, 13
Tenascin-C, expression of, 131
Tendon transfer, split tibialis posterior, 481
β-Thalassemia, scoliosis incidence and follow-up evaluation of, 133
Thoracic fracture, vertebral growth after, 115
Thoracic outlet syndrome, 697
Thoracolumbar spinal orthosis, 701
Tibia
CD44 and hyaluronan distribution in, 273
congenital pseudarthrosis of
Ilizarov device for, 685
neurofibromatosis-1 and, 675
treatment of, 668
fractures of distal epiphysis of, 352
isolated fractures of with intact fibula, 347
lengthening of compared with epiphyseal and callus distraction, 274
torsion of in chronic, stable slipped capital femoral epiphysis, 657
varus angulation of, 347
Tibia vara
in Blount disease, 54
focal fibrocartilaginous dysplasia in, 528
management of late-onset in obese patient, 691
Tibialis tendon, posterior, 481
Tobramycin, interaction with pH in cultured chick tibiae, 273
Toes, plantar-advancement skin flap for, 785
Toe-touching test, with hamstring tightness, 78
Toe-walkers, kinematic patterns of, 478
Tourniquet, sympathetic blockage to prevent changes with, 289
Toxic shock syndrome, in orthopaedic manipulation of bone, 135
Trauma
delayed diagnosis of injury in, 136
hip dislocation in, 278
Triceps-splitting approach, for distal humeral malunion, 273
Triplane fracture, with proximal third fibular fracture, 136
Trochlear dysplasia, femoral sulcus and, 516
Trunk asymmetry, in upper limb transverse dysmelia, 769

Tuberculosis, spinal, change in deformity after surgery for, 275
Tumors
allogenic cortical strut for, 433
management of, 421
resection of, microvascularized free fibular grafts after, 424

Ulna
focal fibrocartilaginous dysplasia in, 528
fracture of, factors affecting position of at cast removal, 332
Ultrasonography
for cartilaginous femoral sulcus in patellar dislocation, 50
in congenital hip dislocation screening, 202
for dislocated hip monitoring, 189
for newborn soft-tissue hip click evaluation, 199
in painful hip management, 132
of patellofemoral joint in diastrophic dysplasia, 512
Umbilical artery catheterization, for neonatal gangrene of extremities, 397
Urban children, prevalence of juvenile chronic arthritis in, 135

Valgus osteotomy, outcome of for coxa vara, 220
Valgus-flexion-internal-rotation femoral osteotomy, for functional retroversion and coxa vara, 247
Varus femoral osteotomy, in reconstruction of dysplastic spastic hip, 592
Vascular injury, in supracondylar humerus fractures, 303
Vascular thrombosis, neonatal gangrene of extremities and, 397
Vertebra
eosinophilic granuloma of, 821
growth of after thoracic or lumbar fracture of spine, 115
hole-in-one, 766
vascular development of, 470
Vertebral artery ligation, safety of, 134
Vertebral canal, in utero development of, 417
Vertebral fusion, for contiguous discitis, 470
Vertical screw, in screw epiphysiodesis for ankle valgus, 9

Wagner fixator-distractor device, in Blount disease treatment, 54
Walking age, operative vs. nonoperative treatment of developmental hip dysplasia in patients of, 181
Wound closure, partial, in equinovarus deformity, 486
Wrist-joint leveling, in acute forearm lengthening, 444

STATEMENT OF OWNERSHIP, MANAGEMENT AND CIRCULATION (Act of August 12, 1970: Section 3685, Title 39 United States Code) Date of Filing—October 1, 1997. Title of Publication—Journal of Pediatric Orthopaedics; Frequency of Issue—6 issues per year; Annual Subscription Price—$170.00; Location of Known Office of Publication—Lippincott–Raven Publishers, 12107 Insurance Way, Hagerstown, MD 21740; Location of the Headquarters or General Business Offices of the Publisher—227 East Washington Square, Philadelphia, PA 19106; Publisher—Lippincott–Raven Publishers, 227 East Washington Square, Philadelphia, PA 19106; Editors—Lynn T. Staheli, M.D., Department of Orthopaedics, Children's Hospital and Medical Center, 4800 Sand Point Way NE, P.O. Box C5371, Seattle, WA 98105; Robert N. Hensinger, M.D., Section of Orthopaedic Surgery, University of Michigan Medical Center, 1500 E. Medical Center Drive, Ann Arbor, MI 48109-0328; Managing Editor—Caren P. Erlichman, Lippincott–Raven Publishers, 227 East Washington Square, Philadelphia, PA 19106; Owner—Lippincott–Raven Publishers, a wholly owned subsidiary of Wolters-Kluwer, US Corp., 227 East Washington Square, Philadelphia, PA 19106, 36th Floor, 1185 Avenue of the Americas, New York City, NY 10036; Known Bondholders, Mortgagees, and other security holders owning or holding 1 percent or more of total amount of bonds, mortgages, or other securities—none. A. Total no. copies printed (*net press run*), average 3,942, actual, 3,700; B. Paid circulation 1. Sales through dealers and carriers, street vendors and counter sales, average none, actual none; 2. Mail subscriptions, average 2,872, actual 2,873; C. Total paid circulation, average 2,872, actual 2,873; D. Free distribution by mail, carrier or other means. Samples complimentary, and other free copies, average 149, actual 62; E. Total distribution (*sum of C and D*), average 3,021, actual 2,935; F. Copies not distributed 1. Office use, leftover, unaccounted, spoiled after printing, average 921, actual 765; 2. Returns from news agents, none; G. Total (*sum of E & F—should equal net press runs shown in A*), average 3,942, actual 3,700. I certify that the statements made by me above are correct and complete. Beverly V. Dietrich, *Circulation Director.*